

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	sizeof and offsetof and (length with (data adj structure))	US-PGPUB	OR	ON	2007/02/26 12:31
S1	2	"6549946".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 09:36
S2	2275	(ATM OR (asynchronous with transfer with mode)) and (PDU OR (protocol with data with unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/07 16:13
S3	129	((ATM OR (asynchronous with transfer with mode)) and (PDU OR (protocol with data with unit))) and (VPCI OR (virtual with path with connection with identifi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 11:45
S4	125	((((ATM OR (asynchronous with transfer with mode)) and (PDU OR (protocol with data with unit))) and (VPCI OR (virtual with path with connection with identifi\$6))) and (VCI OR (virtual with channel with identifi\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 11:46
S5	3	(((((ATM OR (asynchronous with transfer with mode)) and (PDU OR (protocol with data with unit))) and (VPCI OR (virtual with path with connection with identifi\$6))) and (VCI OR (virtual with channel with identifi\$6))) and (generat\$4 with data with structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/08 16:42
S6	1	(((((ATM OR (asynchronous with transfer with mode)) and (PDU OR (protocol with data with unit))) and (VPCI OR (virtual with path with connection with identifi\$6))) and (VCI OR (virtual with channel with identifi\$6))) and sizeof\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 09:51
S7	1	(((((ATM OR (asynchronous with transfer with mode)) and (PDU OR (protocol with data with unit))) and (VPCI OR (virtual with path with connection with identifi\$6))) and (VCI OR (virtual with channel with identifi\$6))) and (length with parameter) and (location with parameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 09:58

## EAST Search History

S8	73	(((ATM OR (asynchronous with transfer with mode)) and (PDU OR (protocol with data with unit))) and (VPCI OR (virtual with path with connection with identi\$6))) and (VCI OR (virtual with channel with identi\$6))) and parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 09:58
S9	20	(((ATM OR (asynchronous with transfer with mode)) and (PDU OR (protocol with data with unit))) and (VPCI OR (virtual with path with connection with identi\$6))) and (VCI OR (virtual with channel with identi\$6))) and parameter) and (data with structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 10:27
S10	13	(((ATM OR (asynchronous with transfer with mode)) and (PDU OR (protocol with data with unit))) and (VPCI OR (virtual with path with connection with identi\$6))) and (VCI OR (virtual with channel with identi\$6))) and (information near element)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 10:28
S11	2	(((ATM OR (asynchronous with transfer with mode)) and (PDU OR (protocol with data with unit))) and (VPCI OR (virtual with path with connection with identi\$6))) and (VCI OR (virtual with channel with identi\$6))) and (platform with independ\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 10:28
S12	1	(ATM and sizeof) and offsetof	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/07 13:57
S13	72	ATM and sizeof	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 10:34
S14	23	(ATM and sizeof) and (platform adj independ\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 11:13
S15	0	717/147.ccls. and ATM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 11:13

## EAST Search History

S16	0	717/147.ccls. and (ATM OR (asynchronous with transfer with mode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 11:14
S17	166	"717".clas. and (ATM OR (asynchronous with transfer with mode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 11:14
S18	5	("717".clas. and (ATM OR (asynchronous with transfer with mode))) and PDU	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 11:32
S19	130	370/395.3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 11:34
S20	112	370/395.3.ccls. and (length OR location OR size OR offset)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 11:33
S21	2	(370/395.3.ccls. and (length OR location OR size OR offset)) and VCI and VPCI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 11:33
S22	0	(370/395.3.ccls. and (length OR location OR size OR offset)) and (platform adj independ\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 11:33
S23	3411	370/395.1-395.6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 11:34
S24	6	370/395.1-395.6.ccls. and (platform adj independ\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 11:44
S25	30	ATM and VPCI and VCI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 11:44

## EAST Search History

S26	1	(ATM and VPCI and VCI) and compiler	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 11:44
S27	2	(((((ATM OR (asynchronous with transfer with mode))) and (PDU OR (protocol with data with unit))) and (VPCI OR (virtual with path with connection with identi\$6))) and (VCI OR (virtual with channel with identi\$6))) and compiler	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 11:45
S28	427	((ATM OR (asynchronous with transfer with mode)) and (PDU OR (protocol with data with unit))) and (VPCI OR (virtual with path with identi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 11:45
S29	421	(((((ATM OR (asynchronous with transfer with mode))) and (PDU OR (protocol with data with unit))) and (VPCI OR (virtual with path with identi\$6))) and (VCI OR (virtual with channel with identi\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 11:46
S30	28	(((((ATM OR (asynchronous with transfer with mode))) and (PDU OR (protocol with data with unit))) and (VPCI OR (virtual with path with identi\$6))) and (VCI OR (virtual with channel with identi\$6))) and compiler	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 11:47
S31	86	(((((ATM OR (asynchronous with transfer with mode))) and (PDU OR (protocol with data with unit))) and (VPCI OR (virtual with path with identi\$6))) and (VCI OR (virtual with channel with identi\$6))) and (connection with identifier with data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 11:48
S32	27	(((((ATM OR (asynchronous with transfer with mode))) and (PDU OR (protocol with data with unit))) and (VPCI OR (virtual with path with identi\$6))) and (VCI OR (virtual with channel with identi\$6))) and (connection with identifier with data)) and (data near (size or length or offset or location))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 11:53

## EAST Search History

S33	2	(((((ATM OR (asynchronous with transfer with mode)) and (PDU OR (protocol with data with unit))) and (VPCI OR (virtual with path with identi\$6))) and (VCI OR (virtual with channel with identi\$6))) and (platform adj independ\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 12:22
S34	1	(generat\$3 with data with structure) with (connection adj identifier) and ATM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 12:23
S35	1	(generat\$3 with data with structure) with (connection adj identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 12:23
S36	1	(generat\$3 with data with structure) with (connection adj2 identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 12:23
S37	19	(data with structure) with (connection adj2 identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 12:29
S38	326	compiler and (data with (size or length)) and (data with (location or offset)) and (ATM OR (asynchronous with transfer with mode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 12:58
S39	23	size\$1of and offset\$1of	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 13:02
S40	6	(size\$1of and offset\$1of) and (platform adj independ\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 13:02
S41	1	(ATM and size\$1of) and offset\$1of	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/07 13:58

## EAST Search History

S42	23	size\$1of and offset\$1of	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/07 13:58
S43	19	(size\$1of and offset\$1of) and identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/07 13:59
S44	3135	(PDU OR (protocol with data with unit)) and data with structure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/07 15:19
S45	3135	(PDU OR (protocol with data with unit)) and (data with structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/07 15:45
S46	781	((PDU OR (protocol with data with unit)) and (data with structure)) and ATM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/07 15:20
S47	122	((((PDU OR (protocol with data with unit)) and (data with structure)) and ATM) and (structure with (generat\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/07 15:28
S48	101	(((((PDU OR (protocol with data with unit)) and (data with structure)) and ATM) and (structure with (generat\$3)))) and connection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/07 15:23
S49	78	((((PDU OR (protocol with data with unit)) and (data with structure)) and ATM) and (structure with (generat\$3 OR custom) with data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/07 15:45
S50	26	(((((PDU OR (protocol with data with unit)) and (data with structure)) and ATM) and (structure with (generat\$3 OR custom) with data)) and (generat\$3 OR custom).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/07 15:29
S51	3143	(PDU\$1 OR (protocol with data with unit)) and (data with structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/07 15:48

## EAST Search History

S52	305	((PDU\$1 OR (protocol with data with unit)) and (data with structure)) and (structure with (generat\$3 OR custom) with data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/07 15:46
S53	78	((PDU\$1 OR (protocol with data with unit)) and (data with structure)) and (structure with (generat\$3 OR custom) with data)) and ATM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/07 15:47
S54	3	((PDU\$1 OR (protocol with data with unit)) and (data with structure)) and (structure with (generat\$3 OR custom) with data)) and length same location same parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/07 15:47
S55	5681	(packet OR frame OR PDU\$1 OR (protocol with data with unit)) and ((generat\$3 OR custom) with data with structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/07 15:52
S56	54	((packet OR frame OR PDU\$1 OR (protocol with data with unit)) and ((generat\$3 OR custom) with data with structure)) and ATM\$1 and VCI\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/07 15:49
S57	4586	((packet OR frame OR PDU\$1 OR (protocol with data with unit)) and ((generat\$3 OR custom) with data with structure)) and table and (VPCI\$1) OR VPI\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/07 16:06
S58	384	((packet OR frame OR PDU\$1 OR (protocol with data with unit)) and ((generat\$3 OR custom) with data with structure)) and table and (VPCI\$1) OR VPI\$1) and size and offset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/07 15:53
S59	105	((packet OR frame OR PDU\$1 OR (protocol with data with unit)) and ((generat\$3 OR custom) with data with structure)) and table and (VPCI\$1) OR VPI\$1) and size and offset) and (size with data) and (offset with data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/07 15:53
S60	74	((packet OR frame OR PDU\$1 OR (protocol with data with unit)) and ((generat\$3 OR custom) with data with structure)) and table and (VPCI\$1) OR VPI\$1) and compiler	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/07 16:13

## EAST Search History

S61	25422	(ATM\$1 OR (asynchronous with transfer with mode)) and (packet OR frame OR PDU\$1 OR (protocol with data with unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/08 16:04
S62	388	((data adj structure) same (("4" OR "8" OR "16" OR "32" OR "64") with bit)) same (generat\$3 OR custom\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/07 16:19
S63	27	((data adj structure) same (("4" OR "8" OR "16" OR "32" OR "64") with bit)) same (generat\$3 OR custom\$7)) and ((ATM\$1 OR (asynchronous with transfer with mode)) and (packet OR frame OR PDU\$1 OR (protocol with data with unit)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/07 16:27
S64	24	((data adj structure) same (("4" OR "8" OR "16" OR "32" OR "64") with bit)) same (generat\$3 OR custom\$7)) and ((ATM\$1 OR (asynchronous with transfer with mode)) and (packet OR frame OR PDU\$1 OR (protocol with data with unit)))) and (length OR size) and (location OR offset)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/07 16:28
S65	23	size\$1of and offset\$1of	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/07 16:41
S66	15	(size\$1of and offset\$1of) and (frame OR packet OR PDU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/07 16:43
S67	9	(size\$1of and offset\$1of) and communication same network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/07 16:43
S68	25455	(ATM\$1 OR (asynchronous with transfer with mode)) and (packet OR frame OR PDU\$1 OR (protocol with data with unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/08 16:05



## EAST Search History

S69	1325	(ATM\$1 OR (asynchronous with transfer with mode)) and (PDU\$1 OR (protocol adj data adj unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/08 16:05
S70	163	((ATM\$1 OR (asynchronous with transfer with mode)) and (PDU\$1 OR (protocol adj data adj unit))) and (connection adj identifi\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/08 16:46
S71	111	((ATM\$1 OR (asynchronous with transfer with mode)) and (PDU\$1 OR (protocol adj data adj unit))) and (connection adj identifi\$6)) and (VPI OR VPCI) and VCI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/08 16:12
S72	33	((ATM\$1 OR (asynchronous with transfer with mode)) and (PDU\$1 OR (protocol adj data adj unit))) and (connection adj identifi\$6)) and (VPI OR VPCI) and VCI and (data adj structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/08 16:37
S73	179	ATM and (CMIP OR (common with management with information with protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/08 16:38
S74	34	(ATM and (CMIP OR (common with management with information with protocol))) and (VPCI OR VPI) and VCI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/08 16:42
S75	0	((ATM and (CMIP OR (common with management with information with protocol))) and (VPCI OR VPI) and VCI) and (preferred same exclusive)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/08 16:39
S76	16	((ATM and (CMIP OR (common with management with information with protocol))) and (VPCI OR VPI) and VCI) and (preferred OR exclusive)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/08 16:39
S77	1	((ATM and (CMIP OR (common with management with information with protocol))) and (VPCI OR VPI) and VCI) and (preferred/exclusive OR preferred/exclusive)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/08 16:45

## EAST Search History

S78	2	(preferred/exclusive OR preferred/exclusive) and ATM and PDU\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/08 16:45
S79	2	((preferred/exclusive OR preferred/exclusive) and ATM and PDU\$1) and (connection adj identifi\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/08 16:46
S80	23	sizeof and offsetof	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 12:02
S81	23	size\$1of and offset\$1of	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 12:02
S82	0	S81 and (each adj parameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 12:03
S83	12	S81 and (defin\$3 with parameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 12:03
S84	447	generat\$3 with vpi and vci	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 12:23
S85	47	S84 and size and offset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 12:23
S86	25	S85 and (data adj structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 12:25
S87	357	size and offset and vpi and vci and atm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 12:25

## EAST Search History

S88	23	S87 and (generat\$3 with data with structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 12:26
S89	41	S87 and (comput\$5 with offset)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 12:26
S90	25	S89 and (data adj structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 12:26
S91	26485	"712".clas. "717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 13:50
S92	1	S91 and (stor\$3 with length with location with parameter with (table identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 13:51
S93	18	(stor\$3 with length with location with parameter with (table identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 13:51
S94	19	sizeof same offsetof	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 14:44
S95	2	(sizeof same length) and (offsetof same location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 14:04
S96	2	(data with structure with definition) same table same (length with location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 14:04

## EAST Search History

S97	110	(data with structure with definition) and table same (length with location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 14:05
S98	96	S97 and offset	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 14:08
S99	2	"6968548".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 14:08
S10 0	0	offsetof with each with parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 14:44
S10 1	0	offsetof with (each every) with parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 14:44
S10 2	0	offsetof same (each every) same parameter same structure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 14:45
S10 3	0	offsetof same (each every) same parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 14:45
S10 4	4	offsetof with parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 14:45